```
=> s l1 full
FULL SEARCH INITIATED 09:52:05 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -     7134 TO ITERATE

100.0% PROCESSED     7134 ITERATIONS                                 35 ANSWERS
SEARCH TIME: 00.00.01

L3           35 SEA SSS FUL L1

=> file caplus
COST IN U.S. DOLLARS                          SINCE FILE      TOTAL
                                                   ENTRY    SESSION
FULL ESTIMATED COST                             172.10     172.94

FILE 'CAPLUS' ENTERED AT 09:52:10 ON 11 JUL 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)
```



```
FILE COVERS 1907 - 11 Jul 2007  VOL 147 ISS 3
FILE LAST UPDATED: 10 Jul 2007  (20070710/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> s l3
L4           14 L3

=> d l4 1-14 ibib abs hitstr
```

L4 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2007:227834 CAPLUS
DOCUMENT NUMBER: 146:245859
TITLE: Preparation of 7-amino-6-triazolyl-1,2,4-triazolo[1,5-a]pyrimidine derivatives as fungicides
INVENTOR(S): Wagner, Oliver
PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany
SOURCE: PCT Int. Appl., 77pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007023018	A1	20070301	WO 2006-EP63960	20060706

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: DE 2005-102005033160A 20050713
OTHER SOURCE(S): MARPAT 146:245859
GI



I

AB The 7-amino-6-triazolyl-1,2,4-triazolo[1,5-a]pyrimidine derivs. I [Het = (un)substituted 1,2,3- or 1,2,4-triazolyl; R1 = H, (cyclo)alkyl; alkenyl, alkadienyl, etc.; R2 = R1, (cyclo)alkoxy, alkenyloxy, alkynyloxy or amino; R1NR2 = heterocyclyl; X = H, OH, halo, cyano, alkyl, alkoxy, (un)substituted amino, etc.; Y = H, halo, cyano, (cyclo)alkyl, etc.] are prepared as fungicides.

IT 925686-90-4P 925686-92-6P 925686-94-8P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate in preparation of 7-amino-6-triazolyl-1,2,4-triazolo[1,5-a]pyrimidine derivative fungicide)

RN 925686-90-4 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(2H-1,2,3-triazol-2-yl)- (CA INDEX NAME)

L4 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 925686-92-6 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(1H-1,2,4-triazol-1-yl)- (CA INDEX NAME)



RN 925686-94-8 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(1H-1,2,3-triazol-1-yl)- (CA INDEX NAME)



REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2007:220260 CAPLUS
DOCUMENT NUMBER: 146:295943
TITLE: Preparation of 7-amino-6-pyrazolyl-1,2,4-triazolo[1,5-a]pyrimidines as agrochemical fungicides
INVENTOR(S): Wagner, Oliver
PATENT ASSIGNEE(S): BASF Aktiengeseelschaft, Germany
SOURCE: PCT Int. Appl., 67pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007023020	A1	20070301	WO 2006-EP63964	20060706

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: DE 2005-102005033145A 20050713
OTHER SOURCE(S): MARPAT 146:295943
GI



I

AB Title compds. [I; R1 = H, (halo)alkyl, (halo)alkenyl, (halo)alkynyl, (halo)alkadienyl, etc.; R2 = (substituted) pyrrolyl, pyrazolyl, imidazolyl, oxazolyl, isoxazolyl, (iso)thiazolyl; R3 = H, halo, OH, cyano, NR4R5, (halo)alkoxy, alkylthio, alkylsulfinyl, alkylsulfonyl; R4, R5 = R1], were prepared Thus, a mixture of 5,7-dichloro-6-(pyrazol-1-yl)-1,2,4-triazolo[1,5-a]pyrimidine (preparation given), (R)-2-methylbut-3-ylamine and Et3N in CH2Cl2 was stirred at room temperature for 48 h to give (R)-5-chloro-7-(2-methylbut-3-ylamino)-6-(pyrazol-1-yl)-1,2,4-triazolo[1,5-a]pyrimidine. Several I as 250 ppm sprays on paprika leaves infected with Botrytis cinerea reduced the infection rate to 20%, vs. 90% for untreated controls.

IT 927821-92-9P 927821-94-1P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of (amino)(pyrazolyl)triazolopyrimidines as agrochem. fungicides)

RN 927821-92-9 CAPLUS

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(1H-pyrazol-1-yl)- (CA INDEX NAME)



RN 927821-94-1 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(3,4,5-trimethyl-1H-pyrazol-1-yl)- (CA INDEX NAME)



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2007:118114 CAPLUS
DOCUMENT NUMBER: 146:206313
TITLE: Preparation of [1,2,4]triazolo[1,5-a]pyrimidin-7-amines as agrochemical fungicides
INVENTOR(S): Wagner, Oliver
PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany
SOURCE: PCT Int. Appl., 75pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007012642	A1	20070201	WO 2006-EP64627	20060725

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: DE 2005-102005036319A 20050729
OTHER SOURCE(S): MARPAT 146:206313
GI


I

II

AB Title compds. I [Z = heteroaryl ring with provisos; R1, R2 = H, alkyl, alkenyl, etc.; X = H, halo, OH, etc.; Y = H, halo, CN, etc.] were prepared For example, pyrimidinylamine II was prepared from 3-aminotriazol in 3-steps. Compds. I exhibited inhibition of botrytis cinerea growth.
IT 923281-36-1P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of triazolopyrimidinylamines as agrochem. fungicides)
RN 923281-36-1 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(5-methyl-1,3,4-thiadiazol-2-yl)- (CA INDEX NAME)

L4 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2007:58226 CAPLUS
DOCUMENT NUMBER: 146:163132
TITLE: Preparation of 7-amino-6-heteroaryl-1,2,4-triazolo[1,5-a]pyrimidines as agrochemical fungicides
INVENTOR(S): Wagner, Oliver
PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany
SOURCE: PCT Int. Appl., 72pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007006722	A1	20070118	WO 2006-EP63968	20060706

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: DE 2005-102005033146A 20050713
OTHER SOURCE(S): MARPAT 146:163132
GI


I

AB Title compds. [I; R1, R2 = H, (halo)alkyl, (halo)alkenyl, (halo)alkynyl, (halo)alkadienyl, (halo)alkoxy, etc. or NR1R2 = (substituted) 5- or 6-membered (unsatd.) aromatic heterocyclyl containing O, N, S; R3 = (substituted) pyrrolyl, pyrazolyl, imidazolyl, oxazolyl, isoxazolyl, isothiazolyl; R4 = H, halo, OH, cyano, NR6R7, (halo)alkoxy, alkylthio, alkylsulfinyl, alkylsulfonyl; R6, R7 = R1, R2; R5 = H, halo, cyano, (halo)alkyl, (halo)alkenyl, (halo)alkynyl, (halo)alkoxy, (halo)cycloalkyl, alkylthio, alkylsulfinyl, alkylsulfonyl], were prepared Thus, 2-bromo-5,7-dichloro-6-(3,5-dimethylpyrazol-1-yl)-1,2,4-triazolo[1,5-a]pyrimidine (preparation given) was stirred with 4-methylpiperidine and Et3N in CH2Cl2 for 12 h at room temperature to give 2,5-dichloro-6-(3,5-dimethylpyrazol-1-yl)-7-(4-methylpiperidin-1-yl)-1,2,4-triazolo[1,5-a]pyrimidine (II) and 2,5-dichloro-6-(3,5-dimethyl-4-bromopyrazol-1-yl)-7-(4-methylpiperidin-1-yl)-1,2,4-triazolo[1,5-a]pyrimidine. II as a 250 ppm spray on wheat seedlings infected with Puccinia recondita spores reduced infection to 3%, vs. 90% for untreated controls.

L4 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
IT 920034-73-7P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of (amino)(heteroaryl)triazolopyrimidines as agrochem. fungicides)
RN 920034-73-7 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 2-bromo-6-(3,5-dimethyl-1H-pyrazol-1-yl)-7-hydroxy- (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2007:54240 CAPLUS
DOCUMENT NUMBER: 146:163131
TITLE: Preparation of 5-alkyl-7-amino-6-heteroaryl-1,2,4-triazolo[1,5-a]pyrimidines as agrochemical fungicides
INVENTOR(S): Wagner, Oliver; Ulmschneider, Sarah; Huenger, Udo
PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany
SOURCE: PCT Int. Appl., 94pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2007006724	A1	20070118	WO 2006-EP63970	20060706

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: DE 2005-102005033143A 20050713
DE 2005-102005036319A 20050729
OTHER SOURCE(S): MARPAT 146:163131
GI



I

AB Title compds. [I; R1, R2 = H, (halo)alkyl, (halo)alkenyl, (halo)alkynyl, (halo)alkadienyl, (halo)alkoxy, etc. or R1R2N = (substituted) 5- or 6-membered (unsatd.) aromatic heterocyclyl; R3 = (substituted) 5-membered aromatic heterocyclyl containing O, N, S; R4 = (halo)alkyl, (halo)alkenyl, (halo)alkynyl, cyanoalkyl, alkoxyalkyl; R5 = H, halo, cyano, (halo)alkyl, (halo)alkenyl, (halo)alkynyl, (halo)alkoxy, (halo)cycloalkyl, alkylthio, alkylsulfinyl, alkylsulfonyl], were prepared Thus, di-Et 2-[6-(3,5-dimethylpyrazol-1-yl)-7-(4-methylpiperidin-1-yl)-1,2,4-triazolo[1,5-a]pyrimidine-5-yl]malonate (preparation given) was stirred with HCl for 4 h at 80° followed by stirring for 12 h at room temperature to give 6-(3,5-dimethylpyrazol-1-yl)-5-methyl-7-(4-methylpiperidin-1-yl)-1,2,4-triazolo[1,5-a]pyrimidine. The latter as a 250 ppm spray on wheat seedlings reduced infection by Puccinia recondita to 10%, vs. 90% for untreated controls.
IT 920267-04-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

L4 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
(prepn. of (alkyl)(amino)(heteroaryl)triazolopyrimidines as agrochem. fungicides)
RN 920267-04-5 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(3,5-dimethyl-1H-pyrazol-1-yl)-7-hydroxy- (CA INDEX NAME)



REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 6 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2006:627599 CAPLUS
DOCUMENT NUMBER: 145:103702
TITLE: Preparation of 7-amino-6-heteroaryl-1,2,4-triazolo[1,5-A]pyrimidines as agrochemical fungicides
INVENTOR(S): Wagner, Oliver; Grote, Thomas; Rheinheimer, Joachim; Nave, Barbara; Stierl, Reinhard
PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany
SOURCE: PCT Int. Appl., 112 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006066818	A2	20060629	WO 2005-EP13577	20051216
WO 2006066818	A3	20061102		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: DE 2004-102004060958A 20041217
DE 2004-102004062199A 20041223
OTHER SOURCE(S): MARPAT 145:103702
GI



I II

III

L4 ANSWER 6 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
AB Title compds. I [R3 = pyridinyl, pyridazinyl, pyrazinyl, etc.; R1, R2 = H, alkyl, haloalkyl, etc.; X = H, OH, halo, etc.; Y = H, halo, CN, etc.] were prepared For example, condensation of 4-methylpiperidine and dichloropyrimidine II afforded triazolopyrimidine III in 48% yield. In alternaria solani tomato protection assays, 42 examples of compds. I at 250 ppm exhibited 90% protection after 5 days.
IT 896107-00-9P
RL: AGR (Agricultural use); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of aminoheteroaryltriazolopyrimidines as agrochem. fungicides)
RN 896107-00-9 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(5-nitro-2-pyridinyl)- (9CI) (CA INDEX NAME)



IT 896107-01-0P 896107-02-1P 896107-03-2P
896107-04-3P 896107-05-4P 896107-06-5P
896107-07-6P 896107-08-7P 896107-09-8P
896107-10-1P 896107-11-2P 896107-12-3P
RL: AGR (Agricultural use); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of aminoheteroaryltriazolopyrimidines as agrochem. fungicides)
RN 896107-01-0 CAPLUS
CN 3-Pyridinecarboxylic acid, 6-(1,5-dihydro-7-hydroxy-5-oxo[1,2,4]triazolo[1,5-a]pyrimidin-6-yl)-, methyl ester (9CI) (CA INDEX NAME)



RN 896107-02-1 CAPLUS
CN 3-Pyridinecarbonitrile, 6-(1,5-dihydro-7-hydroxy-5-oxo[1,2,4]triazolo[1,5-a]pyrimidin-6-yl)- (9CI) (CA INDEX NAME)



RN 896107-03-2 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(5-methyl-2-pyridinyl)- (9CI) (CA INDEX NAME)



RN 896107-04-3 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(3,5-dichloro-2-pyridinyl)-7-hydroxy- (9CI) (CA INDEX NAME)



RN 896107-05-4 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(3-methyl-4-pyridinyl)- (9CI) (CA INDEX NAME)



RN 896107-06-5 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(3-bromo-4-pyridinyl)-7-hydroxy- (9CI) (CA INDEX NAME)



RN 896107-11-2 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(2,4-dichloro-6-methyl-3-pyridinyl)-7-hydroxy- (9CI) (CA INDEX NAME)



RN 896107-12-3 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(3-iodo-2-pyridinyl)- (9CI) (CA INDEX NAME)



IT 896107-51-0P, 6-(Pyrazin-2-yl)-[1,2,4]triazolo[1,5-a]pyrimidin-5,7-diol 896107-53-2P, 6-(4-Methylpyridin-2-yl)-[1,2,4]triazolo[1,5-a]pyrimidin-5,7-diol 896107-54-3P, 6-(3-Methylpyridin-2-yl)-[1,2,4]triazolo[1,5-a]pyrimidin-5,7-diol 896107-56-5P, 6-(6-Methylpyridin-2-yl)-[1,2,4]triazolo[1,5-a]pyrimidin-5,7-diol
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of aminoheteroaryltriazolopyrimidines as agrochem. fungicides)

RN 896107-51-0 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-pyrazinyl- (9CI) (CA INDEX NAME)



RN 896107-07-6 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(2-chloro-3-pyridinyl)-7-hydroxy- (9CI) (CA INDEX NAME)



RN 896107-08-7 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(4,6-dichloro-3-pyridinyl)-7-hydroxy- (9CI) (CA INDEX NAME)



RN 896107-09-8 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(3,5-dibromo-2-pyridinyl)-7-hydroxy- (9CI) (CA INDEX NAME)



RN 896107-10-1 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(3,5-dichloro-4-pyridinyl)-7-hydroxy- (9CI) (CA INDEX NAME)



RN 896107-53-2 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(4-methyl-2-pyridinyl)- (9CI) (CA INDEX NAME)



RN 896107-54-3 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(3-methyl-2-pyridinyl)- (9CI) (CA INDEX NAME)



RN 896107-56-5 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(6-methyl-2-pyridinyl)- (9CI) (CA INDEX NAME)



L4 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:1154715 CAPLUS
DOCUMENT NUMBER: 142:93845
TITLE: Method for producing triazolopyrimidines for use in controlling undesirable microorganisms
INVENTOR(S): Gebauer, Olaf; Guth, Oliver; Heinemann, Ulrich; Greul, Joerg Nico; Herrmann, Stefan; Gayer, Herbert; Elbe, Hans-Ludwig; Hillebrand, Stefan; Wachendorff-Neumann, Ulrike; Dahmen, Peter; Kuck, Karl-heinz
PATENT ASSIGNEE(S): Bayer Cropscience Aktiengesellschaft, Germany
SOURCE: PCT Int. Appl., 73 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004113342	A1	20041229	WO 2004-EP6371	20040614
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
DE 10328481	A1	20050113	DE 2003-10328481	20030625
EP 1644374	A1	20060412	EP 2004-739855	20040614
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
CN 1812991	A	20060802	CN 2004-80018042	20040614
BR 2004011741	A	20060829	BR 2004-11741	20040614
JP 2007506659	T	20070322	JP 2006-515919	20040614
IN 2005CN03514	A	20070608	IN 2005-CN3514	20051223
PRIORITY APPLN. INFO.:			DE 2003-10328481 A	20030625
			WO 2004-EP6371 W	20040614

OTHER SOURCE(S): MARPAT 142:93845
GI

' STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT '

AB The invention relates to novel triazolopyrimidines I [R1 = (un)substituted alkyl, alkenyl, alkynyl, cycloalkyl, heterocycle; R2 = H, alkyl; NR1R2 = heterocycle; R3 = halogen, (un)substituted alkyl, cycloalkyl; R4 = (un)substituted heterocycle; X = halogen], to a method for producing said substances and to their use for controlling undesirable microorganisms. The invention also relates to novel intermediate products of the formulas II, III, IV [R5 = C1-4-alkyl; R6 = halogen, haloalkyl] and V [R7 = halogen, haloalkyl; R8, R9 = H, F, Cl, Br, Me, Et, OMe], in addition to methods for producing said substances. A procedure for the preparation of I is characterized by the reaction of dihalotriazolopyrimidines II (Y1 = halogen) with R1R2NH optionally in the presence of a solvent, acid

L4 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



REFERENCE COUNT: 8 THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
acceptor and/or a catalyst; pyrimidines II are prepd. from diols III; diols III are prepd. from R4CH(CO2R5)2, e.g. IV and V, via cyclocondensation with 3-amino-5-R3-1,2,4-triazoles; malonate IV is prepd. from 3-R6-2-Y2-pyridine and CH2(CO2R5)2; malonate V is prepd. from pyrimidine VI (Y3 = halogen) and CH2(CO2R5)2. Thus, triazolopyrimidine (S)-I [R1 = CHMeCF3-(S), R2 = H, R3 = Me, R4 = 3-(trifluoromethyl)pyridin-2-yl, X = Cl] was prepd. from II [R2 = H, R3 = Me, R4 = 3-(trifluoromethyl)pyridin-2-yl, X = Y1 = Cl] via regioselective amination with NHCHMeCF3-(S) in MeCN contg. KF. Dichlorotriazolopyrimidine II [R2 = H, R3 = Me, R4 = 3-(trifluoromethyl)pyridin-2-yl, X = Y1 = Cl] was prepd. from 2-chloro-3-(trifluoromethyl)pyridine via sequential arylation of CH2(CO2Me)2 in dioxane contg. NaH and catalytic CuCl, cyclocondensation of the resulting heterocyclylmalonate IV [R5 = Me, R6 = CF3] with 3-amino-5-cyclopropyl-1,2,4-triazole in the presence Bu3N and chlorination of the triazolopyrimidinediol III [R3 = Me, R4 = 3-(trifluoromethyl)pyridin-2-yl] with POCl3. The antimicrobial activities of I were detd. (over 90% inhibition vs. Podosphaera leucotricha at 100 g/ha, over 90% inhibition vs. Sphaerotheca fuliginea at 750 g/ha and over 85% inhibition vs. Erysiphe graminis at 500 g/ha for (S)-I [R1 = CHMeCF3-(S), R2 = H, R3 = Me, R4 = 3-(trifluoromethyl)pyridin-4-yl, X = Cl]; over 90% inhibition vs. Podosphaera leucotricha, Uncinula necator and Venturia inaequalis at 100 g/ha for (S)-I [R1 = CHMeCF3-(S), R2 = H, R3 = cyclopropyl, R4 = 5-chloropyrimidin-4-yl, X = Cl]).

IT 817169-70-3P, 5,7-Dihydroxy-2-methyl-6-[3-(trifluoromethyl)pyridin-2-yl][1,2,4]triazolo[1,5-a]pyrimidine
RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and deoxychlorination of; preparation of triazolopyrimidines for use in controlling pathogenic microorganisms)

RN 817169-70-3 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-2-methyl-6-[3-(trifluoromethyl)-2-pyridinyl]- (9CI) (CA INDEX NAME)



IT 817169-69-0P, 5,7-Dihydroxy-6-[5-chloropyrimidin-4-yl]-2-methyl[1,2,4]triazolo[1,5-a]pyrimidine
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and deoxychlorination of; preparation of triazolopyrimidines for use in controlling pathogenic microorganisms)

RN 817169-69-0 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(5-chloro-4-pyrimidinyl)-7-hydroxy-2-methyl- (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:1154714 CAPLUS
DOCUMENT NUMBER: 142:93844
TITLE: Method for producing triazolopyrimidines and to their use for controlling undesirable microorganisms
INVENTOR(S): Gebauer, Olaf; Heinemann, Ulrich; Greul, Joerg Nico; Herrmann, Stefan; Guth, Oliver; Elbe, Hans-Ludwig; Gayer, Herbert; Hillebrand, Stefan; Wachendorff-Neumann, Ulrike; Kuck, Karl-Heinz; Dahmen, Peter
PATENT ASSIGNEE(S): Bayer Cropscience Aktiengesellschaft, Germany
SOURCE: PCT Int. Appl., 55 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004113341	A2	20041229	WO 2004-EP6369	20040614
WO 2004113341	A3	20050512		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
DE 10328173	A1	20050113	DE 2003-10328173	20030624
EP 1638974	A2	20060329	EP 2004-739853	20040614
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
CN 1809571	A	20060726	CN 2004-80017546	20040614
BR 2004011972	A	20060829	BR 2004-11972	20040614
JP 2007506657	T	20070322	JP 2006-515917	20040614
US 2006281767	A1	20061214	US 2006-561174	20060606
PRIORITY APPLN. INFO.:			DE 2003-10328173 A	20030624
			WO 2004-EP6369 W	20040614

OTHER SOURCE(S): MARPAT 142:93844
GI

' STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT '

AB The invention relates to novel triazolopyrimidines I [R1 = (un)substituted alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl; R2 = H, halogen, (un)substituted alkyl, cycloalkyl; R3 = (un)substituted heteroalkyl; G = SOn; X = halogen, CN, (un)substituted alkyl, alkoxy, alkylthio, alkylsulfinyl, alkylsulfonyl; n = 0 - 2], to a method for producing said substances and to their use for controlling undesirable microorganisms. The procedure for the preparation of I is characterized by the reaction of dihalotriazolopyrimidines II (X1, Y1 = halogen) with R1GH to give I (X = X1) which is further reacted with (i) R4-M [R4 = (un)substituted alkoxy, alkylthio, alkylsulfinyl, alkylsulfonyl, CN; M = Na, K]; or (ii) R5Mg-Hal

L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
[R5 = (un)substituted alkyl; Hal = Cl, Br] in a dil. medium. The invention also relates to novel intermediate products of the formulas III, IV (R6 = C1-4-alkyl; R7 = alkyl, haloalkyl) and V (R8 = halo, haloalkyl; R9, R10 = H, F, Cl, Br, Me, Et, OMe) , in addn. to methods for producing said substances. Thus, triazolopyrimidine I [R1 = CHMeCHMe2, R2 = H, R3 = 4-chloro-3-pyrimidinyl, G = S, X = Cl) was prepd. from dihalotriazolopyrimidine II (R2 = H, R3 = 4-chloro-3-pyrimidinyl, X1 = Y1 = Cl) via reaction with Me2CHCHMeSH in MeCN contg. KF and K2CO3. The antimicrobial activity of I (R1 = CHMeCHMe2, R2 = H, R3 = 4-chloro-3-pyrimidinyl, G = S, X = Cl) was detd. [100% inhibition vs. Podosphaera leucotricha at 100g/ha; 90% inhibition vs. Venturia inaequalis at 100g/ha; ED50 = 10 ppm vs. Botrytis cinerea].
IT 809276-84-4P, 5,7-Dihydroxy-6-[3-(trifluoromethyl)pyridin-2-yl][1,2,4]triazolo[1,5-a]pyrimidine 809276-85-5P, 5,7-Dihydroxy-6-(5-chloropyrimidin-4-yl)[1,2,4]triazolo[1,5-a]pyrimidine
RL: PRP (Properties); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and chlorodeoxygenation of; preparation of triazolopyrimidines for
use in controlling pathogenic microorganisms)
RN 809276-84-4 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-[3-(trifluoromethyl)-2-pyridinyl]- (9CI) (CA INDEX NAME)



RN 809276-85-5 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(5-chloro-4-pyrimidinyl)-7-hydroxy- (9CI) (CA INDEX NAME)



IT 816457-18-8P 816457-19-9P 816457-22-4P
RL: AGR (Agricultural use); BSU (Biological study, unclassified); PRP (Properties); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of triazolopyrimidines for use in controlling pathogenic microorganisms)
RN 816457-18-8 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidine, 5-chloro-6-(5-chloro-4-pyrimidinyl)-7-(2,2,2-trifluoro-1-methylethoxy)- (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 816457-19-9 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidine, 5-chloro-6-(5-chloro-4-pyrimidinyl)-7-[(1,2-dimethylpropyl)thio]- (9CI) (CA INDEX NAME)



RN 816457-22-4 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidine, 5-chloro-6-(5-chloro-4-pyrimidinyl)-2-(1-methylethyl)-7-(2,2,2-trifluoro-1-methylethoxy)- (9CI) (CA INDEX NAME)



L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:1154559 CAPLUS
DOCUMENT NUMBER: 142:70279
TITLE: Preparation of triazolopyrimidine derivatives as fungicides
INVENTOR(S): Gebauer, Olaf; Heinemann, Ulrich; Greul, Joerg Nico; Herrmann, Stefan; Guth, Oliver; Gayer, Herbert; Elbe, Hans-Ludwig; Hillebrand, Stefan; Ebbert, Ronald; Wachendorff-Neumann, Ulrike; Kuck, Karl-heinz
PATENT ASSIGNEE(S): Bayer Cropscience Aktiengesellschaft, Germany; et al.
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004112480	A2	20041229	WO 2004-EP6368	20040614
WO 2004112480	A3	20050922		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
DE 10328171	A1	20050113	DE 2003-10328171	20030624
EP 1638400	A2	20060329	EP 2004-736746	20040614
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
CN 1812717	A	20060802	CN 2004-80017907	20040614
BR 2004011736	A	20060829	BR 2004-11736	20040614
JP 2007506656	T	20070322	JP 2006-515916	20040614

PRIORITY APPLN. INFO.: DE 2003-10328171 A 20030624
WO 2004-EP6368 W 20040614
OTHER SOURCE(S): MARPAT 142:70279
GI



I

AB The triazolopyrimidines I [R1 = (un)substituted alkyl,alkenyl, alkynyl, etc; R2 = H, halo, (un)substituted (cyclo)alkyl; R3 = (un)substituted heterocyclyl; X = halo, CN, (un)substituted alkyl, alkoxy, alkylthio, alkylsulfinyl or alkylsulfonyl] are prepd/ as fungicides.
IT 809276-84-4 809276-85-5

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
RL: RCT (Reactant); RACT (Reactant or reagent)
(reactant in prepn. of triazolopyrimidine deriv. fungicide)
RN 809276-84-4 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-[3-(trifluoromethyl)-2-pyridinyl]- (9CI) (CA INDEX NAME)



RN 809276-85-5 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(5-chloro-4-pyrimidinyl)-7-hydroxy- (9CI) (CA INDEX NAME)



L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:1080907 CAPLUS
DOCUMENT NUMBER: 142:56343
TITLE: Preparation of triazolopyrimidines as microbicides
INVENTOR(S): Gebauer, Olaf; Heinemann, Ulrich; Elbe, Hans-Ludwig; Gayer, Herbert; Herrmann, Stefan; Greul, Joerg Nico; Krueger, Bernd-Wieland; Hillebrand, Stefan; Ebbert, Ronald; Wachendorff-Neumann, Ulrike; Dahmen, Peter; Kuck, Karl-Heinz
PATENT ASSIGNEE(S): Bayer Cropscience Aktiengesellschaft, Germany
SOURCE: PCT Int. Appl., 63 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004108727	A1	20041216	WO 2004-EP5876	20040601
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
DE 10325133	A1	20041223	DE 2003-10325133	20030604
EP 1641798	A1	20060405	EP 2004-735570	20040601
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
BR 2004010906	A	20060627	BR 2004-10906	20040601
CN 1802379	A	20060712	CN 2004-80015481	20040601
JP 2006526587	T	20061124	JP 2006-508237	20040601

PRIORITY APPLN. INFO.: DE 2003-10325133 A 20030604
WO 2004-EP5876 W 20040601
OTHER SOURCE(S): MARPAT 142:56343
GI


I


II

AB Title compds. [I; R1 = (substituted) alkyl, alkenyl, alkynyl, cycloalkyl, heterocyclyl; R2 = H, alkyl; R1R2N = (substituted) heterocyclyl; R3 = (substituted) pyridyl, pyrimidinyl; X = halo], were prepared Thus, 5,7-dichloro-6-(3-trifluoromethylpyridin-2-yl)-[1,2,4]-triazolo[1,5-

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
a]pyrimidine (prepn. given) was stirred 2 h at 80° with KF in MeCN; the mixt. was cooled to 0° and (S)-2,2,2-trifluoroisopropylamine was added followed by stirring at 80° for 18 h to give 60.4% title compd. (II). II and other I at 100 g/ha gave ≥90% protection against Podosphaera leucotricha on apples.
IT 809276-84-4P 809276-85-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of triazolopyrimidines as microbicides)
RN 809276-84-4 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-[3-(trifluoromethyl)-2-pyridinyl]- (9CI) (CA INDEX NAME)



RN 809276-85-5 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 6-(5-chloro-4-pyrimidinyl)-7-hydroxy- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2004:101166 CAPLUS
DOCUMENT NUMBER: 140:146163
TITLE: Preparation of triazolopyrimidine derivatives as fungicides
INVENTOR(S): Masumizu, Tatsuya; Tajino, Hidehiro; Murakami, Hideyuki; Watanabe, Masaru; Wakabayashi, Hitoshi; Hiramatsu, Motohiro; Tahara, Tomomi
PATENT ASSIGNEE(S): Hokko Chemical Industry Co., Ltd., Japan
SOURCE: PCT Int. Appl., 114 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004011467	A1	20040205	WO 2003-JP9615	20030729
W: JP, US				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR				

PRIORITY APPLN. INFO.: JP 2002-219751 A 20020729
JP 2002-229836 A 20020807
JP 2002-249906 A 20020829
OTHER SOURCE(S): MARPAT 140:146163
GI


I


II


III


IV

AB The title compds. I [wherein HetA = (un)substituted heterocyclyl; XA = halo, CN, alkoxy, alkylthio, alkyl-SO-, alkyl-SO2-, alkylamino, or alkoxycarbonyl; RA and RA' = independently (un)substituted alkyl, alkenyl, alkynyl, or Ph], II [wherein HetB = (un)substituted heterocyclyl; XB = halo, CN, alkoxy, alkylthio, alkyl-SO-, alkyl-SO2-, alkylamino, or alkoxycarbonyl; RB = (un)substituted heterocyclyl], and III [wherein HetC = (un)substituted heterocyclyl; XC = halo, CN, alkoxy, or alkylthio; RC = alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkylalkyl, or (un)substituted aralkyl] are prepared as fungicides for agricultural and horticultural use. For example, the compound IV was prepared in a multi-step synthesis. I-III showed significant antifungal effect against pyricularia oryzae.
IT 653584-04-4P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate; preparation of triazolopyrimidine derivs. as fungicides)

L4 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
RN 653584-04-4 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(3-thienyl)- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2003:376523 CAPLUS
DOCUMENT NUMBER: 139:364176
TITLE: Preparation of 1,2,4-triazolo[1,5-a]pyrimidine derivatives as fungicides
INVENTOR(S): Worthington, Paul Anthony; Valancogne, Ingrid Aurelie; Fawke, Delphine Raymonde Suzanne; Dobler, Markus
PATENT ASSIGNEE(S): Syngenta Limited, UK; Syngenta Participations AG
SOURCE: PCT Int. Appl., 45 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003039259	A1	20030515	WO 2002-GB4734	20021021
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2002334202	A1	20030519	AU 2002-334202	20021021
PRIORITY APPLN. INFO.:			GB 2001-26914 A	20011108
			WO 2002-GB4734 W	20021021

OTHER SOURCE(S): MARPAT 138:364176
GI



AB Prepared are fungicidal 1,2,4-triazolo[1,5-a]pyrimidine derivs. I wherein R is H, halo, alkyl or cyano; X and Y are halo, alkoxy, alkylthio, aryloxy, arylthio, heteroaryloxy, heteroarylthio, arylalkoxy, heteroarylalkoxy, arylalkylthio, heteroarylalkylthio, alkylamino, alkenylamino, alkynylamino, dialkylamino, dialkenylamino, dialkynylamino, etc.
IT 91716-45-9P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate in preparation of 1,2,4-triazolo[1,5-a]pyrimidine derivative
fungicide)
RN 91716-45-9 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(1-piperidinyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1962:483245 CAPLUS
DOCUMENT NUMBER: 57:83245
ORIGINAL REFERENCE NO.: 57:16607e-h
TITLE: Synthesis of potential anticancer agents. VI. Reactivity of 6-bromo-s-triazolo[2,3-a]pyrimidines
AUTHOR(S): Makisumi, Yasuo
CORPORATE SOURCE: Shionogi & Co., Osaka
SOURCE: Chemical & Pharmaceutical Bulletin (1961), 9, 814-17
CODEN: CPBTAL; ISSN: 0009-2363
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable
AB The possible activation of the generally inactive Br at the 6-position of s-triazolo[2,3-a]pyrimidine (I) by adjacent groups capable of tautomerism was realized by refluxing 3-4 hrs. the 6,5,7-Br(HO)(H2N) derivative (II) of I and the 6,5,7-Br(HO)2 derivative (III) of I with piperidine (IV) and morpholine (V) at the b.ps. of IV and V, resp., to give the corresponding 6-piperidino (VI and VII) and 6-morpholino (VIII and IX) compds. (weight II or III, weight IV or V, yield and m.p. product given): 1 g. II, 2 g. IV, 0.8 g. VI, 259.5° (decomposition); 0.5 g. II, 1 g. V, 0.4 g. VIII, 309° (decomposition); 1 g. III, 2 g. IV, 0.9 g. VII, 320-1° (decomposition); and 1.1 g. III, 2.2 g. V, 1 g. IX, 295° (decomposition). III (0.6 g.) refluxed 30 min. in EtOH with 0.2 g. SC(NH2)2 yielded 0.47 g. corresponding 6-[HN:C(NH2)S] compound (X), m. above 320°, and this (0.5 g.) heated 30 min. on a water bath with 5 cc. N NaOH, the filtrate from the hot mixture precipitated with EtOH, and the resulting Na salt dissolved in H2O and acidified with HCl yielded 0.3 g. bis(5,7-dihydroxy-s-triazolo[2,3-a]pyrimidin-6-yl) disulfide (XI), m. 234-5° (decomposition), formed also (0.6 g.) by refluxing 1.1 g. III 3 hrs. on a water bath with 0.38 g. SC(NH2)2 in the presence of 1% NaOH. Polarography of XI confirmed the disulfide linkage. However, 0.6 g. II refluxed 5 hrs. with 0.2 g. SC-(NH2)2 in EtOH failed to give a compound corresponding to X, but yielded free S and 0.23 g. known 5,7-HO(H2N) derivative (XII) of I, m. above 320°, whereas in the presence of 10% NaOH the heated mixture of 1.2 g. II with 0.4 g. SC(NH2)2 in H2O yielded 0.1 g. bis(5-hydroxy-7-amino-s-triazolo[2,3-a]pyrimidin-6-yl) sulfide, m. above 320°, together with 0.4 g. XII.
IT 90887-37-9P, s-Triazolo[1,5-a]pyrimidine-5,7-diol, 6-morpholino-
91716-45-9P, s-Triazolo[1,5-a]pyrimidine-5,7-diol, 6-piperidino-
RL: PREP (Preparation)
(preparation of)
RN 90887-37-9 CAPLUS
CN s-Triazolo[1,5-a]pyrimidine-5,7-diol, 6-morpholino- (7CI) (CA INDEX NAME)



RN 91716-45-9 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(1-piperidinyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1962:483243 CAPLUS
DOCUMENT NUMBER: 57:83243
ORIGINAL REFERENCE NO.: 57:16606b-i,16607a
TITLE: Synthesis of potential anticancer agents. IV. 5,7-Di-substituted s-triazolo[2,3-a]pyrimidines
AUTHOR(S): Makisumi, Yasuo
CORPORATE SOURCE: Shionogi & Co., Osaka
SOURCE: Chemical & Pharmaceutical Bulletin (1961), 9, 801-8
CODEN: CPBTAL; ISSN: 0009-2363
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable

AB cf. ibid. 7, 907(1959); CA 54, 14259b. Condensing 32 g. H2C(CO2Et)2 with 16.8 g. 5-amino-1H-1,2,4-triazole (I) in the presence of EtONa in EtOH by refluxing 8 hrs. and acidifying the resulting Na salt yielded 15.2 g. 5,7-(HO)2 derivative (II) of s-triazolo[2,3-a]pyrimidine (III), m. 238° (decomposition). Use of 11.3 g. NCCH2CO2Et with 8.4 g. I in a similar procedure yielded 8 g. 5,7-HO(H2N) derivative (IV) of III, m. above 320°. Similarly, refluxing 14.2 g. MeS2CCH2CO2Et with 6.7 g. I 15 hrs. yielded 5,7-HO(HS) derivative (V) of III, m. above 320°. The structure of II was confirmed by heating 4 hrs. with POCl3 at 100°, concentrating the resulting mixture, and extracting with CHCl3 to yield 4.2 g. 5,7-Cl2 derivative (VI) of III, m. 131-2°, and this (0.5 g.) catalytically reduced (Pd-C) in EtOH yielded 0.2 g. III, m. 145-6°, identical with an authentic sample. Stopping the catalytic reduction of VI (1 g.) after the absorption of only 1 mole H, in place of 2 moles H, yielded 0.5 g. 5-Cl derivative (VII) of III, m. 173-3.5° (mixed m.p. 148-50° with the 7-Cl derivative of III, m. 175-6°), and further reduction of 0.5 g. VII yielded 0.35 g. III. Heating 0.5 g. VI 8 hrs. in a sealed tube at 160° with EtOH-NH3 yielded 0.25 g. 5,7-(H2N)2 derivative (VIII) of III, m. 300.5° (decomposition), formed also (0.2 g.) by stirring 5 g. VI 2 hrs. at room temperature with concentrated NH4OH to yield 3.9 g. 5,7-Cl(H2N) derivative (IX) of III, m. above 320°, and heating 0.3 g. IX 10 hrs. in a sealed tube at 160° with EtOH-NH3. Further, refluxing 1.5 g. VI 1 hr. with 1.5 g. SC(NH2)2 in EtOH yielded 1.25 g. 5,7-(HS)2 derivative of III, m. above 320°, and this (0.4 g.) in 1% NaOH shaken 2 hrs. at room temperature with MeI yielded 0.35 g. 5,7-(MeS)2 derivative (X) of III, m. 221-2°, formed also (0.3 g.) by the similar treatment of 0.3 g. 5,7-HS(MeS) derivative (XI) of III with MeI. Hydrolysis of 0.4 g. VI by heating 30 min. on a water bath with 5% NaOH or 10% HCl gave, not the expected II, but 0.3 g. 5,7-Cl(HO) derivative (XII) of III, m. 257° (decomposition), which (0.7 g.) was catalytically reduced (Pd-C) in EtOH containing a little NH4OH to yield 0.4 g. 7-HO derivative (XIII) of III, m. 288-9°, identical with the condensation product of malic acid with I [ibid. 7, 907(1959)]. Similar catalytic reduction of 0.5 g. IX yielded 0.3 g. 7-H2N derivative (XIV) of III, m. 278-9°; 7-AcNH derivative, m. 238-8.5°. The 5-H2N derivative (XV) of III (0.2 g.), m. 266-7° (5-AcNH derivative, m. 296-7°), was prepared by heating 0.5 g. VII 10 hrs. in a sealed tube at 120° with EtOH-NH3. VII (0.4 g.) refluxed 1 hr. with SC(NH2)2 yielded 0.25 g. 5-HS derivative (XVI) of III, m. 259-60° (decomposition), and this (0.1 g.) with MeI in 1% NaOH yielded 60 mg. 5-MeS derivative (XVII) of III, m. 157-8.5°. The corresponding 7-MeS derivative (XVIII) of III (0.4 g.), m. 207-8°, was similarly prepared from 0.5 g. 7-HS derivative of III. VII (0.2 g.) hydrolyzed by heating

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

1 hr. on a water bath with 10% HCl yielded 0.15 g. 5-HO deriv. (XIX) of III, m. 274-5°. Comparison of the ultraviolet absorption spectra and evidence of mixed m.pp. confirmed the structures of the isomeric 5- and 7-substituted pairs, VII and its 7-Cl isomer (loc. cit.), XIX and XIII, XV and XIV, XVII and XVIII. All these results showed Cl at both 5- and 7-positions of III active toward nucleophilic substitution, the activity of Cl at the 7-position being greater, and either an HO or an NH2 group at the 7-position stabilized the Cl at the 5-position. To confirm the structure of V (0.8 g.) it was treated with MeI in NaOH as above to yield 0.8 g. 5,7-HO(MeS) deriv. (XX) of III, m. 283°, and this (0.3 g.) heated 10 hrs. in a sealed tube at 150-60° with EtOH-NH3 yielded 0.15 g. IV. Further, XX (4.5 g.) refluxed 2 hrs. with POCl3 in the presence of PhNMe2 yielded 3 g. 5,7-Cl(MeS) deriv. (XXI) of III, m. 207-8°, which (0.8 g.) refluxed 3 hrs. with SC(NH2)2 in EtOH yielded 0.18 g. bis(7-methylthio-s-triazolo[2,3-a]-pyrimidin-5-yl) sulfide (XXII), m. 288-9° (decompn.), and from the acidified filtrate 0.54 g. 5,7-HS(MeS) deriv. (XXIII) of III, m. 245-6° (decompn.). The structure of XXII was confirmed by its prepn. (0.35 g.) from 0.2 g. XXIII refluxed 3 hrs. with 0.2 g. XXI in 30 cc. EtOH contg. 4 cc. 1% NaOH. XXI (2 g.) heated 10 hrs. in a sealed tube at 150-60° with EtOH-NH3 yielded 1.3 g. 5,7-H2N(MeS) deriv. of III, m. 230-1°, formed also (0.35 g.) by the same treatment of 0.4 g. X. Ultraviolet data were reported for II, IV, V, IX, X, and XII in addn. to the above-mentioned isomeric pairs.

IT 90887-37-9 91716-45-9
(Derived from data in the 7th Collective Formula Index (1962-1966))

RN 90887-37-9 CAPLUS
CN s-Triazolo[1,5-a]pyrimidine-5,7-diol, 6-morpholino- (7CI) (CA INDEX NAME)



RN 91716-45-9 CAPLUS
CN [1,2,4]Triazolo[1,5-a]pyrimidin-5(1H)-one, 7-hydroxy-6-(1-piperidinyl)- (9CI) (CA INDEX NAME)



```
=> d his

     (FILE 'HOME' ENTERED AT 09:49:05 ON 11 JUL 2007)

     FILE 'REGISTRY' ENTERED AT 09:51:18 ON 11 JUL 2007
L1             STRUCTURE UPLOADED
L2           3 S L1
L3          35 S L1 FULL

     FILE 'CAPLUS' ENTERED AT 09:52:10 ON 11 JUL 2007
L4          14 S L3

=> log y
COST IN U.S. DOLLARS                          SINCE FILE      TOTAL
                                                   ENTRY    SESSION
FULL ESTIMATED COST                               79.42     252.36

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)    SINCE FILE      TOTAL
                                                   ENTRY    SESSION
CA SUBSCRIBER PRICE                              -10.92      -10.92

STN INTERNATIONAL LOGOFF AT 09:59:34 ON 11 JUL 2007
```

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAJHM1624

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page for STN Seminar Schedule - N. America
NEWS 2	MAR 15	WPIDS/WPIX enhanced with new FRAGHITSTR display format
NEWS 3	MAR 16	CASREACT coverage extended
NEWS 4	MAR 20	MARPAT now updated daily
NEWS 5	MAR 22	LWPI reloaded
NEWS 6	MAR 30	RDISCLOSURE reloaded with enhancements
NEWS 7	APR 02	JICST-EPLUS removed from database clusters and STN
NEWS 8	APR 30	GENBANK reloaded and enhanced with Genome Project ID field
NEWS 9	APR 30	CHEMCATS enhanced with 1.2 million new records
NEWS 10	APR 30	CA/CAplus enhanced with 1870-1889 U.S. patent records
NEWS 11	APR 30	INPADOC replaced by INPADOCDB on STN
NEWS 12	MAY 01	New CAS web site launched
NEWS 13	MAY 08	CA/CAplus Indian patent publication number format defined
NEWS 14	MAY 14	RDISCLOSURE on STN Easy enhanced with new search and display fields
NEWS 15	MAY 21	BIOSIS reloaded and enhanced with archival data
NEWS 16	MAY 21	TOXCENTER enhanced with BIOSIS reload
NEWS 17	MAY 21	CA/CAplus enhanced with additional kind codes for German patents
NEWS 18	MAY 22	CA/CAplus enhanced with IPC reclassification in Japanese patents
NEWS 19	JUN 27	CA/CAplus enhanced with pre-1967 CAS Registry Numbers
NEWS 20	JUN 29	STN Viewer now available
NEWS 21	JUN 29	STN Express, Version 8.2, now available
NEWS 22	JUL 02	LEMBASE coverage updated
NEWS 23	JUL 02	LMEDLINE coverage updated
NEWS 24	JUL 02	SCISEARCH enhanced with complete author names
NEWS 25	JUL 02	CHEMCATS accession numbers revised
NEWS 26	JUL 02	CA/CAplus enhanced with utility model patents from China

NEWS EXPRESS 29 JUNE 2007: CURRENT WINDOWS VERSION IS V8.2,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 05 JULY 2007.

NEWS HOURS	STN Operating Hours Plus Help Desk Availability
NEWS LOGIN	Welcome Banner and News Items
NEWS IPC8	For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

* * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

EAST Search History

S2	2	"5612345".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 10:18

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	190	514/259.31.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 10:16
L2	1736	triazolopyrimidine	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 10:16
L3	111	l1 l2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:16
L4	1	antimicrobial l3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:17
L5	2	l3 antifungal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:17
L6	24989	l3 micro-organism	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/11 10:19
L7	3	l3 micro-organism	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/07/11 10:19